



10-YEAR OUTLOOK FOR THE GLOBAL SCANDIUM MARKET TO 2028

OCTOBER 2018

A CONFIDENTIAL REPORT PREPARED BY CM GROUP



CONDITIONS OF USE

THIS REPORT HAS BEEN PREPARED BY THE CMGROUP.NET PTE LTD (ABN 69 089 166 512) (CM GROUP).

COPYRIGHT AND TRADE MARKS

CM GROUP IS THE OWNER OF THE COPYRIGHT AND ALL OTHER INTELLECTUAL PROPERTY RIGHTS IN THIS REPORT.

THE REPORT HAS BEEN PREPARED FOR THE CLIENT TO USE FOR ITS OWN INTERNAL PURPOSES. THE REPORT MUST NOT BE COPIED (EITHER IN WHOLE OR PART), DISTRIBUTED TO, USED OR RELIED ON BY ANY OTHER PERSON WITHOUT CM GROUP'S PRIOR WRITTEN CONSENT.

THE CM GROUP IS ALSO THE OWNER OF THE CM GROUP TRADE MARKS (WHETHER REGISTERED OR UNREGISTERED) AND EXPRESSLY PROHIBITS ANY USE OF THOSE TRADE MARKS FOR ANY PURPOSE UNLESS WITH THE CM GROUP'S PRIOR WRITTEN CONSENT OR AS OTHERWISE PERMITTED BY LAW.

DISCLAIMER

THIS REPORT HAS BEEN PREPARED ON THE BASIS OF ORIGINAL, INDEPENDENT RESEARCH BY THE CM GROUP. IT IS BASED ON INFORMATION AVAILABLE AT THE TIME THE REPORT WAS COMPILED, FROM SOURCES BELIEVED TO BE RELIABLE. WHILE THE CM GROUP HAS TAKEN CARE IN PREPARING THE REPORT, UNLESS SPECIFICALLY IMPLIED BY LAW, IT DOES NOT MAKE ANY REPRESENTATION OR WARRANTY THAT THE MATERIAL IN THE REPORT IS ACCURATE, COMPLETE OR UP TO DATE. THE CM GROUP IS UNDER NO OBLIGATION TO UPDATE THE MATERIAL IN THE REPORT IN FUTURE. THE CLIENT SHOULD MAKE ITS OWN ENQUIRIES TO SATISFY ITSELF AS TO THE CORRECTNESS AND CURRENCY OF THE MATERIAL PRESENTED.

SECURITIES AND OTHER PRODUCTS

THIS REPORT DOES NOT CONSTITUTE A RECOMMENDATION, INVITATION OR OFFER TO BUY OR SELL ANY SECURITY, STOCK, BUSINESS OR OTHER PRODUCT OR SERVICE IN ANY JURISDICTION, OR TO ENGAGE IN OR REFRAIN FROM ENGAGING IN ANY OTHER TRANSACTION.

COST AND MARKET ESTIMATES

THE CM GROUP ESTIMATES COSTS AND MARKET CHANGES BY EVALUATING INDUSTRY MARKET CONDITIONS AND GATHERING AVAILABLE INFORMATION AND DATA FROM THIRD PARTY SOURCES, AS OPERATING COMPANIES DO NOT GENERALLY DISCLOSE THEIR POSITIONS FOR INDIVIDUAL OPERATIONS.

AVAILABLE DATA VARIES GREATLY BETWEEN PROJECTS. IN PARTICULAR, FORECAST COSTS AND MARKET VOLUMES EMBODY A NUMBER OF SIGNIFICANT ASSUMPTIONS WITH RESPECT TO EXCHANGE RATES AND TECHNICAL VARIABLES. BECAUSE OF THESE FACTORS, DIRECT COMPARABILITY BETWEEN INDIVIDUAL FORECAST PROJECT COSTS AND MARKETS MAY BE LIMITED, AND SUCH COST AND MARKET ESTIMATES MUST BE TREATED WITH CAUTION.

FORWARD-LOOKING STATEMENTS

WITHOUT LIMITING THE FOREGOING, THIS REPORT CONTAINS FORWARD-LOOKING STATEMENTS WHICH ARE IDENTIFIED BY WORDS SUCH AS 'MAY', 'COULD', 'BELIEVES', 'ESTIMATES', 'TARGETS', 'EXPECTS', 'INTENDS' AND OTHER SIMILAR WORDS THAT INVOLVE RISKS AND UNCERTAINTIES.

THESE STATEMENTS ARE BASED ON AN ASSESSMENT OF PRESENT ECONOMIC AND OPERATING CONDITIONS, AND ON A NUMBER OF ASSUMPTIONS REGARDING FUTURE EVENTS AND ACTIONS THAT, AT THE DATE OF THIS REPORT, ARE EXPECTED TO TAKE PLACE.

SUCH FORWARD-LOOKING STATEMENTS ARE NOT GUARANTEES OF FUTURE PERFORMANCE AND INVOLVE KNOWN AND UNKNOWN RISKS, UNCERTAINTIES, ASSUMPTIONS AND OTHER IMPORTANT FACTORS, WHICH ARE BEYOND THE CONTROL OF THE CM GROUP AND WHICH COULD CAUSE THE ACTUAL OUTCOMES TO DIFFER MATERIALLY FROM THE OUTCOMES EXPRESSED OR ANTICIPATED IN THE FORWARD-LOOKING STATEMENTS.

THE CM GROUP CANNOT AND DOES NOT GIVE ANY ASSURANCE THAT THE RESULTS, PERFORMANCE OR ACHIEVEMENTS EXPRESSED OR IMPLIED BY THE FORWARD-LOOKING STATEMENTS CONTAINED IN THIS REPORT WILL ACTUALLY OCCUR AND THE CLIENT IS CAUTIONED NOT TO PLACE UNDUE RELIANCE ON THEM.

LIMITATION OF LIABILITY

TO THE EXTENT PERMITTED BY LAW, NONE OF THE CM GROUP OR ITS OFFICERS, DIRECTORS, EMPLOYEES, AGENTS, INFORMATION PROVIDERS, CONSULTANTS OR SUPPLIERS ACCEPTS ANY LIABILITY (IN NEGLIGENCE OR OTHERWISE) FOR ANY LOSS OR DAMAGE, WHETHER DIRECT OR INDIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL OR PUNITIVE, SUSTAINED OR INCURRED BY THE CLIENT OR ANY OTHER PERSON AS A RESULT OF RELIANCE ON ALL OR ANY PART OF THIS REPORT.

10-YEAR OUTLOOK FOR THE GLOBAL SCANDIUM MARKET TO 2028

OCTOBER 2018

PREPARED BY CM GROUP



Table of Content

	Glossary	ix
	EXECUTIVE SUMMARY	1
1	Background	10
1.1	Scope	10
1.2	Terminology	10
1.3	Data Sources	11
2	Resources	12
2.1	China	12
2.1.1	REE Resources	13
2.1.2	TiO ₂ Resources	13
2.1.3	Tungsten Resources	13
2.1.4	Bauxite and Red Mud Resources	14
2.2	Non-China	14
2.2.1	Scandium Mineral Resources	14
2.2.2	Red Mud Resources	14
2.2.3	Uranium Resources	14
2.2.4	REE Resources	15
2.2.5	Nickel Laterite Resources	15
2.2.6	Tungsten Resources	15
2.2.7	Niobium Resources	15
3	The Sc Market & Value Chain	16
4	Scandium Metal and Halide Applications	17
5	Solid Oxide Fuel Cell Scandia Demand	18
5.1	Fuel Cell Technology	18
5.2	Fuel cell Industry Growth	19
5.3	SOFC outside China	22
5.4	SOFC in China	23
5.4.1	SOFC Policy	24
5.4.2	SOFCMAN	24
5.4.3	Jiangxi Size Materials	26
5.4.4	CCTC	26
6	Aluminium Alloys, Applications and Global Mass Flow	26
6.1	Aluminium Lithium Alloys	31
6.2	History of Al-Sc Alloy Development	33
7	Current Demand for Al-Sc Alloys	37
7.1	Automotive	37
7.2	Sporting Goods	37
7.2.1	Baseball bats	37

7.2.2	Lacrosse Sticks	38
7.2.3	Golf clubs	38
7.2.4	Bicycles	39
7.2.5	Other sporting applications	40
7.3	Aerospace	40
7.4	Military applications	40
8	Raw Material Consumption and Selection in the Aerospace Industry	41
8.1	Current Raw Materials Consumption	42
8.2	Current Aluminium use in Aerospace	42
8.3	Factors Affecting Material Choice in Aerospace	45
8.3.1	Fuel Costs and LightWeighting	45
8.3.2	Material Processing Technology Developments	46
8.3.3	Competition between Al alloys	46
8.4	Airbus	48
8.5	Boeing	50
8.6	Bombardier	51
8.7	Embraer	51
8.8	COMAC	51
8.9	Lockheed Martin & Other Defence	51
9	Outlook for Aluminium Alloys in Aerospace	52
9.1	Growth in Aircraft Production	52
9.2	Ti and Composites versus Aluminium	53
9.3	Growth in Aerospace Demand for Aluminium	56
9.4	Electric Aircraft and drones	56
10	Attitudes of Major Aluminium Companies to Scandium	57
10.1	Alcoa (Arconic)	57
10.2	AMAG	58
10.3	Constellium	59
10.4	Gränges	59
10.5	Hindalco - Novelis - Aleris	60
10.6	Kaiser Aluminium	61
10.7	UACJ	61
10.8	Kobe Steel	61
10.9	Nippon Light Metals	61
10.10	Rusal	62
10.11	Hydro	62
10.12	Chinalco & China Power	62
10.13	Rio Tinto	62
10.14	Gulf Aluminium Companies	62

10.15	Specialist Aluminium Product producers	63
10.15.1	Assan Alumiyum	63
10.15.2	Alcereco	63
10.15.3	KUMZ	63
10.16	Hurdles for AlSc alloys	64
11	Demand Outlook in Non-aero Aluminium Sectors	65
11.1	Sporting Goods	65
11.2	Overhead power cable and other conductors	65
11.3	Electronics	65
11.4	Rail	66
11.5	Automotive	68
11.5.1	Opportunities for Al-Sc in ICE vehicles	68
11.5.2	Impact of Electric Vehicles	69
11.6	Heat exchanger market-fins and microchannel extrusions	69
11.7	1xxx series extrusions	72
11.8	Welding wire and rod	72
11.9	3D printing - WAAM	73
11.10	Marine	74
11.11	Other possible applications	75
12	Chinese scandium demand	76
13	Scandium Supply and Cost Structures	77
13.1	Early Soviet Supply	77
13.2	Scandium Extraction Technology and Sources	77
13.2.1	Red Mud	78
13.2.2	Rare Earth Metals	81
13.2.3	Uranium	82
13.2.4	Titanium slag and pigment	82
13.2.5	Zirconium	84
13.2.6	Tungsten	85
13.2.7	Nickel Laterite	85
13.3	Chinese Supply	86
13.3.1	Doguide Group	88
13.3.2	Huizhou Top Metal Material Co (TOPM)	88
13.3.3	HNRE - Hunan Rare Earth Alloy Factory	88
13.3.4	Hunan Oriental Scandium	88
13.3.5	Hunan High Broad New Material Co., Ltd	89
13.3.6	Guangxi Maoxin Technology	89
13.3.7	CNMC (Guangxi)	89
13.3.8	Sichuan Lanthanum Rare Materials	89

13.3.9	Jiaozuo Rongjia Scandium Industry Technology Co., Ltd	89
13.3.10	Guangdong Orient Zirconic Ind Sc&Tech Co., Ltd	89
13.3.11	Taojiang Ruilong Metal New Material Co., Ltd	89
13.3.12	Codos (Shanghai) Technology Development Co., Ltd.	90
13.4	Proposed Chinese Supply	90
13.5	Chinese Regulations	90
13.6	Current Non China Supply	91
13.6.1	Rusal Red Mud Processing	91
13.6.2	Bloom Flourite	91
13.6.3	Sumitomo Nickel Laterite	92
13.6.4	Uranium	93
13.7	Proposed Non-China Production	94
13.7.1	Scandium International Mining (SCY) - Nyngan	96
13.7.2	CleanTeQ - Sunrise (Syerston)	97
13.7.3	Platina Resources Ltd. - Owendale	98
13.7.4	Australia Mines --Metallica - Greenvale/SCONI	99
13.7.5	Ardea Resources	100
13.7.6	Jervois Mining	101
13.7.7	Hylea Metals	101
13.7.8	Collerina Cobalt	101
13.7.9	GME Resources	101
13.7.10	REE Proposals	101
13.7.11	Grecian Red Mud	102
13.7.12	European titania by product scandium	102
13.7.13	India	102
13.7.14	Turkey	102
13.7.15	Niobium Projects	103
13.8	Production costs	103
13.8.1	Chinese Production Costs	103
13.8.2	Proposed Australian Mines	105
13.9	Production capacity	105
13.10	Supply Outlook	105
14	Al-Sc Alloy Master Alloy Production	106
14.1	Al-Sc Alloy Master Alloy Production Technology	106
14.1.1	Direct Reduction with Aluminium	106
14.1.2	Scandium Halides	107
14.1.3	Hall Heroult Cell Additions	107
14.2	KBM Affilips	107
14.3	AMG	107

14.4	Intermix-Met	107
14.5	Chinese Master Alloy Producers	108
14.6	Metalysis	109
14.7	Stanford advanced Materials	109
15	Impact of Recycling	110
16	Future Demand & Prices	110
16.1	Al-Sc alloy Demand	110
16.2	Aluminium Alloy Cost Comparisons in Aerospace	111
16.3	Current Sc Prices	115
16.4	Demand/Price Elasticity	117
16.5	Scenarios for Sc Supply, Demand & Price Outlook	117
16.5.1	Supply	117
16.5.2	Demand	119
16.5.3	Price Forecast	121
17	Wild Cards	123
	Appendix A Chinese Scandium products standard	124
	Appendix B Chinese REE Production Quotas	125

LIST OF FIGURES

Figure 1 Historical and forecast 99.9% scandia prices to 2028	1
Figure 2 Annual Chinese scandium capacity and production in 2017	3
Figure 3 Forecast global scandia demand 2014 to 2028	5
Figure 4 Scandia market split by sector in 2028	7
Figure 5 Forecast global scandia demand and capacity to 2028	9
Figure 3.1 2017 estimated scandia demand by sector: tonnage and market share	16
Figure 3.2 Simplified scandium value chain showing actual and potential supply routes	17
Figure 5.1 Schematic of working principle of SOFC	18
Figure 5.2 Fuel cell megawatts shipped by region	20
Figure 5.3 Fuel cell megawatts shipped by type	20
Figure 5.4 Recent growth in FC unit shipments by region and application in the fuel cell industry	21
Figure 5.5 Fuel cell shipments by type	21
Figure 5.6 Total megawatts of SOFC shipped by year	22
Figure 5.7 Typical XRD Pattern of SSZ produced by SOFCMAN	24
Figure 5.8 Typical FESEM Picture of SSZ produced by SOFCMAN	25
Figure 5.9 Typical Particle Size Distribution of SSZ produced by SOFCMAN	25
Figure 5.10 Electrical Conductivity VS Temperature of SSZ produced by SOFCMAN	25
Figure 6.1 Aluminium global mass flow 2016	27
Figure 6.2 Products produce by refiners and remelters	28
Figure 6.3 Split of aluminium consumption by end use sector 2017	29
Figure 6.4 Approximate split of aluminium consumption by sector and alloy	30
Figure 6.5 Approximate proportion of global aluminium consumption by alloy	30
Figure 6.6 Potential weight saving versus various properties	32
Figure 6.7 Growth in the number of technical papers on scandium presented at the ICAA meeting	33
Figure 6.8 Effect of scandium addition on ultimate tensile strength for selected alloys	34
Figure 7.1 US lacrosse stick wholesale market	38
Figure 8.1 Changes in buy to fly ratio	41
Figure 8.2 GAMA global airplane shipments including business jets. Excludes passenger jets.	41
Figure 8.3 Boeing 777 aluminium alloy usage by part	42
Figure 8.4 Aerospace raw material demand by material 2016 & 2017	43
Figure 8.5 Comparison of conventional 2024, 5028(Sc) and 2199(1.6% Li)	47
Figure 8.6 Evolution of composite usage in Airbus craft	48
Figure 8.7 Airbus A350 material proportions and applications	49
Figure 8.8 Proportion of weight by material in Boeing aircraft	50
Figure 8.9 Boeing 787 materials distribution by part	50
Figure 9.1 Aircraft production by orders 1981 to 2017	52
Figure 9.2 Airbus and Boeing aircraft deliveries 1998 to 2017 (Boeing in grey Airbus in blue)	53
Figure 9.3 Deloitte forecast of aircraft production to 2036	53

Figure 9.4 Growth in proportion of composites in aircraft mass	54
Figure 10.1 Interior of Alcoa Al-Li cast house	58
Figure 10.2 Comparison of Aleris alloy 5028 containing scandium with conventional 2024	60
Figure 11.1 Rail car components suitable for aluminium	66
Figure 11.2 Deutsche Bahn ICE structure with extruded aluminium profiles	67
Figure 11.3 Examples of aluminium heat exchangers	70
Figure 11.4 Costing for 1000 series alloy microtube where conventional alloy mass must be doubled to withstand the higher pressure of CO ₂	71
Figure 11.5 Recrystallization and grain growth in conventional 3102 alloy micro-tubing. Left pre-braze. Right post braze	71
Figure 11.6 Composite aircraft panel structure with WAAM stiffening beams	74
Figure 12.1 Consumption Structure of Scandium Products in China	76
Figure 13.1 Flow sheet used in pilot plant processing Greek red mud	79
Figure 13.2 CSIRO proposed flow sheet for extraction of scandia from red mud	80
Figure 13.3 Typical flowsheet for scandia extraction from REE ores	81
Figure 13.4 Flowsheet for scandia extraction from uranium ores	82
Figure 13.5 Scandia extraction from titaniferous slag	83
Figure 13.6 Typical Chinese flowsheet for extracting scandia from TiO ₂ pigment production	84
Figure 13.7 Recovery of scandium hydroxide from wolframite residue	85
Figure 13.8 Distribution of major Scandium Oxide producers and TiO ₂ pigment producers in China	87
Figure 13.9 Chinese scandium metal production per year 1980-2014	88
Figure 13.10 Industrial pilot plant of scandium extraction from bauxite residue at Kamensk Uralsky alumina refinery	91
Figure 13.11 Sumitomo scandium extraction from nickel laterite pilot plant in the Philippines 2015	92
Figure 13.12 Current status of Australian scandium projects	94
Figure 13.13 Location of Scandium International Mining Nyngan deposit	96
Figure 13.14 Location of the CleanTeQ Syerston scandium project	97
Figure 13.15 Platina's Owendale project location	98
Figure 13.16 Location of Metallica Greenvale/SCONI project	99
Figure 13.17 Goongarrie project map	100
Figure 13.18 Cost curve of scandium oxide producers in China, 2017	104
Figure 13.19 Operating and capital costs per kg for the four Australian primary mine projects. By-products not included	105
Figure 16.1 Comparison of 2024 and aluminium lithium costs versus annual fuel savings from changing to aluminium lithium with a resulting 10% weight reduction	112
Figure 16.2 Weight reduction achieved in Alcoa-Bombardier study for aluminium lithium 2199 alloy versus 2024	113
Figure 16.3 Comparison of 2024 and 5xxx+ 0.2% scandium costs versus annual fuel savings from changing to 5xxx+Sc with a resulting 4% weight reduction	114
Figure 16.4 Comparison 5xxx+ 0.2% scandium and aluminium lithium costs versus annual fuel savings from changing from 5xxx+Sc to aluminium lithium with a resulting 2% weight reduction	115

Figure 16.5 Historical Chinese scandia price	116
Figure 16.6 Historical Price of Scandium Oxide and Scandium Metal (RMB/kg)	116
Figure 16.7 Forecast scandia capacity and demand to 2028	118
Figure 16.8 Forecast cost curve for scandium supply in 2023	118
Figure 16.9 Scandia market split by sector in 2028	120
Figure 16.10 Forecast global scandia demand 2014 to 2028 by sector	121
Figure 16.11 Historical and forecast 99.9% scandia prices to 2028	122

LIST OF TABLES

table 2.1 Various ore types in China containing scandium and their typical scandium concentrations	13
Table 2.2 Chemical composition of ore in Panzhihua vanadium-titanium magnetite	13
Table 5.1 SOFMAN specification of SSZ	24
Table 5.2 Jiangxi Size Materials specification of SSZ produced by Size	26
Table 6.1 Aluminium wrought alloy codes	28
Table 6.2 Aluminium cast alloy codes	28
Table 6.3 3 rd Generation aluminium lithium alloys	32
Table 6.4 Summary of scandium's effect on aluminium alloy strength	36
Table 8.1 Boeing and Airbus commercial aircraft deliveries in 2015	44
Table 8.2 Estimated aluminium content and consumption in Airbus aircraft 2017	44
Table 8.3 Estimated aluminium content and consumption in Boeing aircraft in 2017	44
Table 8.4 Comparison of alloys suitable for fuselage or lower wing structures	47
Table 8.5 Properties of LAM produced Scalmalloy	49
Table 9.1 Comparison of aerospace material advantages and disadvantages	54
Table 9.2 Percentage of aircraft mass by weight for selected models with a high proportion of composites	55
Table 9.3 Carbon fibre, demand, capacity and supply -tpa	55
Table 11.1 Calculation of alloy costs with and without scandium for micro-tube extrusions	70
Table 13.1 Scandium content of red mud in Rusal's operations	78
Table 13.2 Major Chinese scandia producers	86
Table 13.3 Main production methods of Scandia in China	87
Table 13.4 Proposed Australian primary scandia mines	95
Table 13.5 Cost structure of the method using TiO ₂ pigment acid waste as raw material	103
Table 13.6 Cost structure of the method using zirconia mother liquid as raw material	104

CM BUSINESS CONSULTING

M +65 9101 5898

T +65 6322 1414

E liping.li@cmgroup.net

LEVEL 30, 6 BATTERY ROAD,
SINGAPORE, 049909



cmgroup.net